420 Safety & Cleanup Checklist	Date:
	Your Name:
Rev. May 2010	
Back Room	<u>complete?</u>
Clear acid hood surface and sink (inclu	iding all pirhana items)
Ensure proper separation of waste & st	,
(Waste bottles must be in secon	
Check for full waste bottles, DATE TA	•
If full, change bag for black bucket of and throw waste in regular trasl	
Check sharps containers and arrange p	ickup if full (by 5p)
Replenish red waste tags	
Clean pH meter + Coulter counter table	es
Remove floor obstructions	
Check eyewash next to acid hood	
Check that Fridge/Freezer are organize	ed & at right temperature
Locate acid/base spill kits	
-	
Solvent Hood Area	
Clear solvent hood surface and sink (en	mpty bleached cultures)
Replenish paper towels	
Refill squeeze bottles (EtOH – use EtC)H stock in
flammables cabinet, IsoProp., e	
Go to solvent stockroom & replenish s	
Ensure proper separation of waste & st	
(Waste bottles must be in secon	
Check for full waste bottles, DATE TA	•
(make sure red labels are filled	
Sharps containers: arrange for pickup b	* '
BioSharps bin and BioBurnBox: If full	•
& email <u>biosharps@mit.edu</u> by 5p	, prace in nair
Replenish red waste tags	
Clean top of yellow cabinet	
Clean Millipore H2O, centrifuge table	
Locate solvent spill kit	
Common Areas & Stockroom	
Clean common workspaces, check for	safety hazards
(solder bench, common tables,	•
Check that microscopes are turned off	,
Remove floor obstructions & any safet	y hazards
Sweep/vacuum floor if necessary	
Make sure there are no unlabeled chem	nicals anywhere in lab
Clean wirebonder table	<u>y</u> <u> </u>
Stockroom: Check for items to be orde	ered & add to wiki
3.3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3. 3.3.	
Signatura:	
<u>Signature:</u>	

Please return completed form to safety coordinator