

## References

- [1] J E Bailey. Host-vector interactions in escherichia coli. *Adv Biochem Eng Biotechnol*, 48:29–52, 1993.
- [2] F Baneyx. Recombinant protein expression in escherichia coli. *Curr Opin Biotechnol*, 10(5):411–21, 1999.
- [3] E Baracchini and H Bremer. Stringent and growth control of rna synthesis in escherichia coli are both mediated by ppgpp. *J Biol Chem*, 263(6):2597–602, 1988.
- [4] E Baracchini and H Bremer. Control of rna synthesis in escherichia coli at increased rrn gene dosage. role of guanosine tetraphosphate and ribosome feedback. *J Biol Chem*, 266(18):11753–60, 1991.
- [5] E Baracchini, R Glass, and H Bremer. Studies in vivo on escherichia coli rna polymerase mutants altered in the stringent response. *Mol Gen Genet*, 213(2-3):379–87, 1988.
- [6] William E. Bentley, Noushin Mirjalili, Dana C. Andersen, Robert H. Davis, and Dhinakar S. Kompala. Plasmid-encoded protein: The principal factor in the ?metabolic burden? associated with recombinant bacteria. *Biotechnology and Bioengineering*, 35(7):668–681, 1990.
- [7] S. Birnbaum and J. E. Bailey. Plasmid presence changes the relative levels of many host cell proteins and ribosome components in recombinant *escherichia coli*. *Biotechnology and Bioengineering*, 37(8):736–745, 1991.
- [8] Jeanne Bonomo and Ryan T Gill. Amino acid content of recombinant proteins influences the metabolic burden response. *Biotechnol Bioeng*, 90(1):116–26, 2005.
- [9] G Churchward, H Bremer, and R Young. Transcription in bacteria at different dna concentrations. *J Bacteriol*, 150(2):572–81, 1982.
- [10] Mugdha Gadgil, Vivek Kapur, and Wei-Shou Hu. Transcriptional response of escherichia coli to temperature shift. *Biotechnol Prog*, 21(8756-7938):689–99, 2005.
- [11] R T Gill, J J Valdes, and W E Bentley. A comparative study of global stress gene regulation in response to overexpression of recombinant proteins in escherichia coli. *Metab Eng*, 2(3):178–89, 2000.
- [12] B R Glick. Metabolic load and heterologous gene expression. *Biotechnol Adv*, 13(2):247–61, 1995.
- [13] A Herman and G Wegrzyn. Effect of increased ppgpp concentration on dna replication of different replicons in escherichia coli. *J Basic Microbiol*, 35(1):33–9, 1995.

- [14] V J Hernandez and H Bremer. Escherichia coli ppgpp synthetase ii activity requires spot. *J Biol Chem*, 266(9):5991–9, 1991.
- [15] Frank Hoffmann. Stress induced by recombinant protein production in escherichia coli. *Advances in Biochemical Engineering/Biotechnology*, 89:73–92, 2004. Available from: <http://www.springerlink.com/openurl.asp?genre=article&id=doi:10.1007/b93994>.
- [16] Anke Kayser, Jan Weber, Volker Hecht, and Ursula Rinas. Metabolic flux analysis of escherichia coli in glucose-limited continuous culture. i. growth-rate-dependent metabolic efficiency at steady state. *Microbiology*, 151(Pt 3):693–706, 2005.
- [17] R Knaus and H Bujard. Pl of coliphage lambda: an alternative solution for an efficient promoter. *EMBO J*, 7(0261-4189):2919–23, 1988.
- [18] C G Kurland and H Dong. Bacterial growth inhibition by overproduction of protein., 1996.
- [19] S B Lee and J E Bailey. Analysis of growth rate effects on productivity of recombinant escherichia coli populations using molecular mechanism models. reprinted from biotechnology and bioengineering, vol. 26, issue 1, pages 66-73 (1984). *Biotechnol Bioeng*, 67(0006-3592):805–12, 2000.
- [20] Sun Bok Lee and James E Bailey. Analysis of growth rate effects on productivity of recombinant escherichia coli populations using molecular mechanism models. *Biotechnol Bioeng*, 79(0006-3592 (Print)):550–7, 2002.
- [21] S T Liang, Y C Xu, P Dennis, and H Bremer. mrna composition and control of bacterial gene expression. *J Bacteriol*, 182(11):3037–44, 2000.
- [22] R Little, J Ryals, and H Bremer. rpob mutation in escherichia coli alters control of ribosome synthesis by guanosine tetraphosphate. *J Bacteriol*, 154(2):787–92, 1983.
- [23] T N Nguyen, Q G Phan, L P Duong, K P Bertrand, and R E Lenski. Effects of carriage and expression of the tn10 tetracycline-resistance operon on the fitness of escherichia coli k12. *Mol Biol Evol*, 6(3):213–25, 1989.
- [24] J Ryals, R Little, and H Bremer. Control of rrna and trna syntheses in escherichia coli by guanosine tetraphosphate. *J Bacteriol*, 151(3):1261–8, 1982.
- [25] Thomas Schweder and Michael Hecker. *Monitoring of Stress Responses*, volume 89. 2004. Available from: <http://www.springerlink.com/openurl.asp?genre=article&id=doi:10.1007/b93993>.
- [26] Jin-Ho Seo and James E. Bailey. Effects of recombinant plasmid content on growth properties and cloned gene product formation in *escherichia coli*. *Biotechnology and Bioengineering*, 27(12):1668–1674, 1985.

- [27] Hans Peter Sorensen and Kim Kusk Mortensen. Advanced genetic strategies for recombinant protein expression in escherichia coli. *J Biotechnol*, 115(2):113–28, 2005.
- [28] F W Studier. Use of bacteriophage t7 lysozyme to improve an inducible t7 expression system. *J Mol Biol*, 219(1):37–44, 1991.
- [29] F William Studier. Protein production by auto-induction in high density shaking cultures. *Protein Expr Purif*, 41(1):207–34, 2005.
- [30] Renata Valesova, Lenka Hollerova-Sobotkova, Vaclav Stepanek, and Pavel Kyslik. Optimization of the host-plasmid interaction in the recombinant escherichia coli strains overproducing penicillin g acylase. *Enzyme and Microbial Technology*, 35(1):74–80, 2004. Available from: <http://www.sciencedirect.com/science/article/B6TG1-4CF5HOS-3/2/b84bd7640a5eec722cb589d48b2daa1f>.
- [31] Harald Weber, Tino Polen, Johanna Heuveling, Volker F Wendisch, and Regine Hengge. Genome-wide analysis of the general stress response network in escherichia coli: sigmas-dependent genes, promoters, and sigma factor selectivity. *J Bacteriol*, 187(0021-9193):1591–603, 2005.
- [32] Lukas M. Wick and Thomas Egli. Molecular components of physiological stress responses in escherichia coli. *Advances in Biochemical Engineering/Biotechnology*, 89:1–45, 2004. Available from: <http://www.springerlink.com/openurl.asp?genre=article&id=doi:10.1007/b93957>.
- [33] Mille Y, Beney L, and Gervais P. Compared tolerance to osmotic stress in various microorganisms: Towards a survival prediction test., 2005.
- [34] L Yee and H W Blanch. Recombinant protein expression in high cell density fed-batch cultures of escherichia coli. *Biotechnology (N Y)*, 10(12):1550–6, 1992.